

Assignment 1.

Basic techniques.

This assignment is due Wednesday, Jan 23. Collaboration is welcome. If you do collaborate, make sure to write/type your own paper.

- (1) Represent the following complex numbers in trigonometric form: (a) $1 + i$, (b) $-1 + i$, (c) $-1 - i$, (d) $1 + i\sqrt{3}$, (e) $-1 + i\sqrt{3}$, (f) $\sqrt{3} - i$.
- (2) Calculate
 - (a) $\frac{1+i \tan \alpha}{1-i \tan \alpha}$ (where $\alpha \in \mathbb{R}$),
 - (b) $\frac{(1+i)^{2013}}{(1-i)^{2011}}$.
- (3) Calculate
 - (a) $(a + b\omega + c\omega^2)(a + b\omega^2 + c\omega)$,
 - (b) $(a + b)(a + b\omega)(a + b\omega^2)$,
 where $\omega = -\frac{1}{2} + \frac{1}{2}\sqrt{3} \cdot i$.
- (4) Prove the identity $|z_1 + z_2|^2 + |z_1 - z_2|^2 = 2(|z_1|^2 + |z_2|^2)$. (By the way, what is the geometric interpretation of this identity?)
- (5) By a purely geometric argument, prove that

$$|z - 1| \leq ||z| - 1| + |z| |\arg z|$$

(*Hint*: Draw a picture. The latter term is the length of an arc.)

- (6) Draw regions on the complex z -plane defined by the following relations:
 - (a) $|z - z_1| = |z - z_2|$
 - (b) $0 \leq \operatorname{Re}(iz) \leq 1$
 - (c) $\operatorname{Re} z + \operatorname{Im} z < 1$
 - (d) $\operatorname{Im} \frac{z - z_1}{z - z_2} = 0$
 - (e) $\operatorname{Re} \frac{z - z_1}{z - z_2} = 0$
- (7) Prove that any complex number of absolute value 1 (except for $z = -1$) can be represented as

$$z = \frac{1 + it}{1 - it},$$

where t is a real number (*Hint*: compare to 2a.)

- (8) $Az\bar{z} - E\bar{z} - \bar{E}z + D = 0$ is an equation of a circle ($E \in \mathbb{C}, A, D \in \mathbb{R}, A \neq 0$). Find its center and radius.
- (9) Describe the family of curves on the complex z -plane with equations
 - (a) $\operatorname{Re} \frac{1}{z} = C$,
 - (b) $\operatorname{Im} \frac{1}{z} = C$,
 where C is an arbitrary real number. (*Hint*: Use $1/z = \bar{z}/z\bar{z}$, complex equation of a circle and problem 8 above.)
- (10) Use the fact that $1 + \cos \alpha + \cos 2\alpha + \cdots + \cos n\alpha = \operatorname{Re}(1 + z + z^2 + \cdots + z^n)$, where $z = \cos \alpha + i \sin \alpha$, to find a trigonometric expression for $1 + \cos \alpha + \cos 2\alpha + \cdots + \cos n\alpha$.
- (11) Use De Moivre's formula ($(\cos \varphi + i \sin \varphi)^n = \cos n\varphi + i \sin n\varphi$) to express $\cos 5\varphi$ through $\sin \varphi$ and $\cos \varphi$.