Name:	Lecure Section
vanic.	Lecure Section

Ma 221	Exam IIIA	12S

I pledge my honor that I have abided by the Stevens Honor System.

You may not use a calculator, cell phone, or computer while taking this exam. All work must be shown to obtain full credit. Credit will not be given for work not reasonably supported. When you finish, be sure to sign the pledge.

#2 ______ #3 _____ #4 _____

Note: A table of Laplace Transforms is given at the end of the exam.

Name:_____ Lecure Section ____

1 (25 pts.) Use Laplace Transforms to solve the initial value problem

$$y'' + 6y' + 5y = 12e^t$$
 $y(0) = -1$ $y'(0) = 7$

Name:_____ Lecure Section ___

$$\mathcal{L}^{-1}\left\{\frac{-5s-36}{(s+2)(s^2+9)}\right\}$$

Name:	Lecure Section
-------	----------------

3 (30 pts.) Find the series solution near x = 0 of the equation

$$(x^2 + 1)y'' + y = 0$$

Be sure to give the recurrence relation. Indicate the two linearly independent solutions and give the first six nonzero terms of the solution.

Name:	Lecure Section
-------	----------------

4 (25 **pts**.) Find the eigenvalues, λ , and eigenfunctions for

$$y'' + \lambda y = 0$$
; $y(0) = 0$, $y'(1) = 0$

Be sure to consider all values of λ .

Name:_____ Lecure Section ____

Table of Laplace Transforms

f(t)	$F(s) = \mathcal{L}\{f\}(s)$		
$\frac{t^{n-1}}{(n-1)!}$	$\frac{1}{s^n}$	$n \ge 1$	<i>s</i> > 0
e^{at}	$\frac{1}{s-a}$		s > a
sin bt	$\frac{b}{s^2 + b^2}$		<i>s</i> > 0
$\cos bt$	$\frac{s}{s^2 + b^2}$		<i>s</i> > 0
$e^{at}f(t)$	$\mathcal{L}{f}(s-a)$		
$t^n f(t)$	$(-1)^n \frac{d^n}{ds^n} (\mathcal{L}\{f\}(s))$		